





Terra all climate loudspeakers sound refreshingly clear, open, and exhibit little sign of strain at high output levels. You can listen to them for hours on end without the slightest bit of listening fatigue. Terra manufactures their range of speakers to handle all weather conditions, with the use of a special magnetic fluid to return the speaker to the start position. There is less chance of degradation due to extremes of weather. Only the highest quality of aluminium cones are used to reduce vibration and enclosed in a one piece moulded plastic case. Unlike other so called weatherproof speakers, Terra speakers can be mounted vertically or horizontally with no worry of water leaking. Terra models don't have to be mounted under eaves or protected from the weather. Terra all climate loudspeakers are built to last, which is why they come with a limited-lifetime Manufacture's warranty against defects and failure.



### High Output for Larger Outdoor Areas or Surround Sound

**NEW**

Includes two 6.5-inch cast frame AC Series woofers for powerful bass response with delicate and articulate midrange. Highs are delivered by our exclusive 1.1-inch inverted Titanium dome fluid cooled tweeter, all divided through a high quality computer optimized third order crossover.

- Colour option: White, Black, Green
- Aluminium 'C' bracket
- Easy grip screw knob
- MARINE GRADE

#### AC-17e

Dual 6.5" ACAD™ & MFCS™
1.1" Inverted Dome Titanium Tweeter
55 Hz to 23 KHz +/-3dB
4 Ohms (70 Volt Available)
225 Watts Undistorted Power
91dB (1 watt @1 meter)
470h x 235w x 216d
8 kgs
Unicity Enclosure



### Outdoor 2-Way Speakers

- Colour option: White, Black, Green
- Aluminium 'C' bracket
- Easy grip screw knob
- MARINE GRADE

#### AC-15

• 6.5" ACAD & MFCS Woofer
• 20mm NEO coax titanium dome tweeter
• 85 to 22K Hz +/- 3dB
• 8 ohms
• 150 watts
• 89 dB
• 235 x 267 x 216 mm (WHD)
Unicity Enclosure



### Outdoor 2-Way Speakers

- Colour option: White, Black, Green
- Aluminium 'C' bracket
- Easy grip screw knob
- MARINE GRADE

---

**AC-16**

---

- 6.5" ACAD & MFCS Woofer
- 1.1" titanium inverted dome titanium tweeter
- 75 to 22K Hz +/- 3dB
- 8 ohms
- 150 watts
- 90 dB
- 235 x 381 x 216 mm (WHD)

Unicity Enclosure

---



### Outdoor Single Stereo Speaker

- Colour option: White, Black, Green
- Aluminium 'C' bracket
- Easy grip screw knob
- MARINE GRADE

---

**AC-WF16**

---

- 2 x 5.25" ACAD & MFCS Woofers
- 2 x 1/2" titanium inverted dome titanium tweeters
- 80 to 20K Hz +/- 3dB
- 8 ohms (4ohm parallel)
- 100 watts
- 90 dB
- 235 x 381 x 216 mm (WHD)

Unicity Enclosure

---



### 5.25" Weather Proof (round) Speaker

**NEW**

- MARINE GRADE
- \*4 Ohm Standard; 8 Ohm Available

<b>CA-10.1R</b>	
DRIVERS:	5.25" Woofer Full Range
TWEETER:	
TEMP RANGE:	-10°C - 105°C
GRILL:	Micro-Perf Aluminum
POWER:	100 Watts
FREQUENCY:	75Hz - 12kHz 3dB
IMPEDANCE:	4* Ohms
SENSITIVITY:	88dB (1 Watt @ 1 Meter)
FRAME DIMS:	7" (180mm x 180mm)
CUTOUT:	144mm x 144mm x 88mm
WEIGHT:	4.0 lbs. / 1.8 kg



### 5.25" Weather Proof (Square) Speaker

**NEW**

- MARINE GRADE
- \*4 Ohm Standard; 8 Ohm Available

<b>CA-10.1S</b>	
DRIVERS:	5.25" Woofer Full Range
TWEETER:	
TEMP RANGE:	-10°C - 105°C
GRILL:	Micro-Perf Aluminum
POWER:	100 Watts
FREQUENCY:	75Hz - 12kHz 3dB
IMPEDANCE:	4* Ohms
SENSITIVITY:	88dB (1 Watt @ 1 Meter)
FRAME DIMS:	7" (180mm x 180mm)
CUTOUT:	144mm x 144mm x 88mm
WEIGHT:	4.0 lbs. / 1.8 kg



**5.25" Indoor / Outdoor (round) Speaker**

- MARINE GRADE

**CA-10.2R**

- 5.25" ACAD mid / bass
- 0.75" coax titanium tweeter
- Aluminium grill
- 100 watts
- 75Hz - 20K Hz +/- 3dB
- 88 dB
- Cut out 164mm Dia, depth 75mm
- White paintable frame and grill



**5.25" Indoor / Outdoor (square) Speaker**

- MARINE GRADE

**CA-10.2S**

- 5.25" ACAD mid range
- 0.75" coax titanium tweeter
- Aluminium grill
- 100 watts
- 75 Hz - 20K Hz +/- 3dB
- 88 dB
- Cut out 164 x 75, depth 88 mm
- White paintable frame and grill



**6.5" Weather Proof (round) Speaker**

- MARINE GRADE

**CA-65.2R**

- DRIVERS: 6.5" ACAD Bass/Mid
- TWEETER: 1" coax aluminium tweeter
- GRILL: Micro-Perf Aluminum grill
- POWER HANDLING: 125 watts
- FREQUENCY RESPONSE: 65Hz - 20K Hz +/- 3dB
- SENSITIVITY: 88 dB
- CUTOUT: 203 mm Dia x 75mm D
- NET WEIGHT: 2.9 kg



**8" Weather Proof (round) Speaker**

- MARINE GRADE

**CA-80.2R**

- 8" ACAD woofer
- 1" coax aluminium tweeter
- Aluminium grill
- 125 watts
- 50Hz - 20K Hz +/- 3dB
- 88 dB
- Cut out 244 mm Dia



### Waterproof Outdoor Subwoofer

---

**AC-SUB**

---

- 10" ACAD driver with 2" voice coils
  - 12" ACAD passive radiator
  - 26 - 120 Hz +/- 3dB
  - 8 ohms
  - 87dB
  - 300-500 watts max
  - Sub-surface mounted
  - 457 x 635 mm (WH)
  - Sealed fibreglass enclosure
- 



### AC Series Outdoor Speaker Security Locking Attachment.

Ideal for areas where speakers are easily accessible

---

**AC SECURITY KIT**

---

- 1 x security bit
  - 5 x security screws
  - 4 x knobs
-